

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/634,160 08/05/2003		Kouji Kanzaki	35996	6328
116 75	590 03/02/2006		EXAMINER	
PEARNE & GORDON LLP			STINSON, FRANKIE L	
1801 EAST 9TH STREET SUITE 1200		ART UNIT	PAPER NUMBER	
CLEVELAND, OH 44114-3108			1746	

DATE MAILED: 03/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/634,160	KANZAKI				
Office Action Summary	Examiner	Art Unit				
	FRANKIE L. STINSON	1746				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 03 Ja	nuary 2006.					
2a)⊠ This action is FINAL . 2b)□ This	n)⊠ This action is FINAL . 2b)□ This action is non-final.					
	3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4) ⊠ Claim(s) 1-12 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-12 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or						
Application Papers						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examiner 11) The oath or declaration is objected to by the Examiner 12. **The oath of the correction of the	epted or b) \square objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s) 1) -Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

Application/Control Number: 10/634,160 Page 2

Art Unit: 1746

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over either Japan'843 (Japan 2001-355843) or Japan'919 (Japan 10-292919) in view of Japan'227 (Japan 1-205227).

Re claims 1-3, Japan'843 and Japan'919 are each cited disclosing a high frequency heating apparatus including a high frequency generating part (the magnetron of the microwave) for supplying a high frequency into a heating chamber for accommodating a food object to be heated and a steam generating part (16 in Japan'843 and 6 in Japan'919) for supplying steam into the heating chamber in which the high frequency generating part and the steam generating part supply at least any one of the high frequency and steam into the heating chamber to heat-treat the object to be heated, the high frequency heating apparatus comprising that differs from the claims only in the recitation of the cleaning mode. Japan'227 is cited disclosing in a microwave, a cleaning mode and the controls therefore. It therefore would have been obvious to one having ordinary skill in the art to modify the device of either Japan'843 and Japan'919, to including a cleaning mode as taught by Japan'227 for the purpose of removing any debris located within the microwave chamber. Re claims 4 and 6, note the water supply in Japan'227 and Japan'919. Re claim 5, note the fan in Japan'843. Re claim 7. although Japan'843, Japan'919 and Japan'227 are silent with regard to a pump. means

Application/Control Number: 10/634,160

Art Unit: 1746

must obviously be provided to supply the water to the dish. Nonetheless to employ one means over another is deemed to be an obvious substitution of equivalents (see MPEP 2144.06 SUBSTITUTING EQUIVALENTS KNOWN FOR THE SAME PURPOSE). Re claim 8, to generate steam, it is the understanding that the water should be heated to at least 100°C at normal atmospheric pressure. Therefore the predetermined is believed to be inherent. Re claim 9, to include an additive for cleaning, it old and well known and to do so in Japan'227 would have been obvious. And the specific type is clearly dependent upon the article to be cleansed. Re claims 10-12, Japan'843 and Japan'919 disclose the food cooked by one of steam and the high frequency generating part'

Page 3

- 3. Applicant's arguments with respect to claims 1-12 have been considered but are most in view of the new ground(s) of rejection.
- 4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 10/634,160 Page 4

Art Unit: 1746

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to FRANKIE L. STINSON whose telephone number is (571) 272-1308. The examiner can normally be reached on M-F from 5:30 am to 2:00 pm and some Saturdays from approximately 5:30 am to 11:30 am.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr, can be reached on (571) 272-1700. The fax phone number for the organization where this application or proceeding is assigned is 571-272-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

fls

FRANKIE L. STINSON
Primary Examiner
GROUP ART UNIT 1746